



# INVENTORY MODULE SETUP

INV

## QUICK REFERENCE GUIDE INV-13

### Purpose

The purpose of this Quick Reference Guide (QRG) is to provide a step-by-step explanation of how to perform Inventory Module Setup in the North Carolina Financial System (NCFS).


### Introduction and Overview

This QRG covers how to perform Inventory Module Setup in NCFS.


### Perform Inventory Module Setup

To Setup Preferred Stock Location for PO Receiving in Inventory Module Setup in NCFS, please follow the steps below:


1. On the **Home** page, click the **My Enterprise** tab.



2. Click the **Setup and Maintenance** app.



3. On the *Setup* page, click the drop-down [ ▼ ] icon and select the **Manufacturing and Supply Chain Materials Management** from the drop-down choice list.



4. On the *Functional Area* section, click **Inventory Management** to open the **Inventory Management** page on the right-hand side.

Setup: Manufacturing and Supply Chain Materials Management

**Functional Areas** Change Feature Opt In

- \* Suppliers Shared
- \* Facilities
- \* Users and Security Shared
- \* Items Shared
- Carriers and Transit Times
- \* Catalogs Shared
- Inventory Management**
- Receiving Shared
- \* Shipping

**Inventory Management**

View Format Freeze Detach Wrap Show All Tasks

Task	He Sc	Predecessor Tasks	Notes	Action
Manage Inventory Profile Options		0	0	
Manage Inventory Lookups		0	0	
Manage Inventory Value Sets		0	0	
Manage Inventory Descriptive Flexfields		0	0	
Manage Inventory Account Alias Key Flexfield		0	0	
Manage Inventory Locator Key Flexfield		0	0	
Manage Inventory Transaction Sources and Types		0	0	

5. Click the **Manage Item Transaction Defaults** link.

Setup: Manufacturing and Supply Chain Materials Management

**Functional Areas** Change Feature Opt In

- \* Suppliers Shared
- \* Facilities
- \* Users and Security Shared
- \* Items Shared
- Carriers and Transit Times
- \* Catalogs Shared
- Inventory Management


**Inventory Management**

View Format Freeze Detach Wrap Show All Tasks


Task	He Sc	Predecessor Tasks	Notes	Action
<b>Manage Item Transaction Defaults</b>		0	0	
Manage Lot Grades		0	0	
Manage Lot Expiration Actions		0	0	
Manage Lot and Serial Attributes Mapping		0	0	
Manage Pick Slip Grouping Rules		0	0	

6. On the *Select Organization* pop-up, Enter the **Organization** details.


In this example, we choose **4210451**. Then click the **OK** button.





7. On the **Manage Item Transaction Default** page. Click the **Add [ + ]** icon.



8. Enter **Item** number. In this example, we choose **0012455**.



9. Click the **Default For** drop-down list [] icon.




Manage Item Transaction Defaults Inventory Organization 4210451 Change Organization Save Save and Close Cancel


Search

Search Results

Actions View + X Edit Subinventory Change

* Item	Item Description	* Default For	* Subinventory	Locator
0012455	SHOWER SHOES, SIZE MED (7-8), 12PR/...			

10. Select the **Receiving** option.




Manage Item Transaction Defaults Inventory Organization 4210451 Change Organization Save Save and Close Cancel

Search


Search Results

Actions View + X Edit Subinventory Change

* Item	Item Description	* Default For	* Subinventory	Locator
0012455	SHOWER SHOES, SIZE MED (7-8), 12PR/...			

- Account alias issue
- Account alias receipt
- Account issue
- Account receipt
- Direct organization transfer
- Miscellaneous issue
- Miscellaneous receipt
- Movement request
- Receiving**
- Shipping
- Subinventory transfer

11. Enter **Subinventory**. In this example, we choose **T018**.



Manage Item Transaction Defaults Inventory Organization 4210451 Change Organization Save Save and Close Cancel

Search

Search Results

Actions View + X Edit Subinventory Change

* Item	Item Description	* Default For	* Subinventory	Locator
0012455	SHOWER SHOES, SIZE MED (7-8), 12PR/...	Receiving	T018	


12. Click the **Save and Close** button/

The screenshot shows the 'Manage Item Transaction Defaults' interface. At the top right, there are buttons for 'Change Organization', 'Save', 'Save and Close' (highlighted with a red box), and 'Cancel'. Below this, there is a search section with a 'Search' button and 'Search Results' header. A table of search results is visible, with columns for 'Item', 'Item Description', '\* Default For', '\* Subinventory', and 'Locator'. The first row in the table has the following values: '0012455', 'SHOWER SHOES, SIZE MED (7-8), 12PR/...', 'Receiving', and 'T018'. There are also 'Actions' and 'View' dropdown menus, and a 'Change' button.


This concludes the setup for **Preferred Stock Location** in **Inventory Module Setup** in NCFS.


To **Create Item Template** in **Inventory Module Setup** in NCFS, please follow the steps below:


1. On the **Home** page, click the **My Enterprise** tab.




2. Click the **Setup and Maintenance** app.



- On the **Setup** page, click the drop-down [  ] icon and select the **Product Management** from the drop-down choice list.



- On the **Functional Area** section, click **Items** to open the **Items** page on the right-hand side.





5. Click the **Manage Item Classes** task link.

Setup: Product Management

Functional Areas: Initial Users, Enterprise Profile, Users and Security, Application Extensions, Inventory Organizations, Item Organizations, Items.

Search Tasks: [Search Box]

Items Section: View, Format, Freeze, Detach, Wrap, Show Required Tasks.

Task	He Sc	Predecessor Tasks	Notes	Actions
Manage Units of Measure		0	0	[Dropdown]
Manage Item Classes		0	0	[Dropdown]
Manage Units of Measure for Interclass Convers...		0	0	[Dropdown]
Manage Units of Measure for Intraclass Convers...		0	0	[Dropdown]

6. On the **Manage Item Classes** page, Click the **Item Class** as per agency requirement.

Manage Item Classes

Search: Show Inactive, Search filters for Item Class and Description, Item Creation Allowed, New Item Request Enabled.

Search Results:

Name	Description	Enabled	Public	Item Creation Allowed	New Item Request Enabled
Root Item Class	Root Item Class	✓	—	—	—
DAC Item Class	DAC Item Class	✓	—	✓	—
DHHS Item Class	DHHS Item Class	✓	—	✓	—
DPI Item Class	DPI Item Class	✓	—	✓	—
DPS Item Class	DPS Item Class	✓	—	✓	—

Columns Hidden 3

7. Click the **Template and Formats** tab.

NCFS

Edit Item Class: DAC Item Class

\* Item Class: DAC Item Class

Internal Name: DAC\_IC

\* Description: DAC Item Class

Enabled

Parent Item Class: Root Item Class

Parent Item Class Description: Root Item Class

Basic | Item Management | Security | Transactional Attributes | Pages and Attribute Groups | Lifecycle Phases | **Templates and Formats**

Item Class Hierarchy

View Format Freeze Detach Wrap

Item Class	Description	Item Creation Allowed
------------	-------------	-----------------------

8. Select the existing **Item Template** and click the **Copy** button.

NCFS

Edit Item Class: DAC Item Class

\* Item Class: DAC Item Class

Internal Name: DAC\_IC

\* Description: DAC Item Class

Enabled

Parent Item Class: Root Item Class

Parent Item Class Description: Root Item Class

Basic | Item Management | Security | Transactional Attributes | Pages and Attribute Groups | Lifecycle Phases | **Templates and Formats**


Item Templates | Import Formats

Actions View Format + X Freeze Detach Wrap **Copy**

Name	Description	Organization	Item Class	Default
DAC Item Template	DAC Item Templ...	ITEMMASTERO...	DAC Item Class	<input checked="" type="checkbox"/>
Root Item Template		ITEMMASTERO...	Root Item Class	<input type="checkbox"/>

Rows Selected 1


9. Click the **Add** [  ] icon.



**Copy Templates** [X]

DAC Item Template


**Organizations**

View ▾  [X]

Organization Name	Organization
[Empty table body]	

[OK] [Cancel]

10. Enter Organization Code **ITEMMASTERORG** and click the **Search** button.



**Select and Add: Organizations** [X]

Organization  Organization Hierarchy

▲ **Search**

\*\* At least one is required

\*\* Organization Code

\*\* Organization Name

[Search] [Reset]

Organization	Organization Name
No data to display.	

[Apply] [Done] [Cancel]

11. Select the organization **ITEMMASTERORG**, click the **Apply** and **Done** button.

**Select and Add: Organizations** ✕

Organization       Organization Hierarchy

**Search**

\*\* At least one is required

\*\* Organization Code

\*\* Organization Name

Organization	Organization Name
ITEMMASTERORG	INVENTORY ITEM MASTER

12. Click the **OK** button.

**Copy Templates** ✕

---


DAC Item Template


---

**Organizations**

View ▼

Organization Name	Organization
INVENTORY ITEM MASTER	ITEMMASTERO...

13. Click the Item Template row and click the **Edit** [  ] icon.



NCFS

Edit Item Class: DAC Item Class ?

Item Class: DAC Item Class

Internal Name: DAC\_IC

Description: DAC Item Class

Enabled:

Parent Item Class: Root Item Class







Parent Item Class Description: Root Item Class

Item creation allowed:

Default Item Class:  Public


Basic | Item Management | Security | Transactional Attributes | Pages and Attribute Groups | Lifecycle Phases | **Templates and Formats**

Item Templates | Import Formats

Actions | View | Format |  |  |  |  Freeze |  Detach |  Wrap | Copy

Name	Description	Organization	Item Class	Default
DAC Item Template	DAC Item Templ...	ITEMMASTERO...	DAC Item Class	✓
Copy of DAC Item Template	DAC Item Templ...	ITEMMASTERO...	DAC Item Class	—
Root Item Template		ITEMMASTERO...	Root Item Class	—

14. Update **Name** and **Description** as per business requirement and click the **OK** button.



Edit Item Template: Copy of DAC Item Template X

\* Name: TEST ITEM TEMPLATE

Description: Test Item Template

Organization: ITEMMASTERORG

Set as Default

**OK** Cancel

15. Select **Item Template** and Update attributes details as per business requirement in **Overview** tab.

The screenshot displays the 'Edit Item Class: DAC Item Class' interface. At the top, there are navigation icons and buttons for 'Save', 'Save and Close', and 'Cancel'. The form includes fields for 'Item Class' (DAC Item Class), 'Internal Name' (DAC\_IC), 'Description' (DAC Item Class), and an 'Enabled' checkbox. Below these are 'Parent Item Class' and 'Parent Item Class Description' fields, both set to 'Root Item Class'. A breadcrumb trail shows 'Basic', 'Item Management', 'Security', 'Transactional Attributes', 'Pages and Attribute Groups', 'Lifecycle Phases', and 'Templates and Formats'. The 'Item Templates' section contains a table with columns for Name, Description, Organization, Item Class, and Default. The 'TEST ITEM TEMPLATE' row is highlighted with a red box. Below the table, the 'Edit Item Template: TEST ITEM TEMPLATE' screen is shown with tabs for 'Overview' and 'Specifications'. The 'Overview' tab is active, showing fields for 'Item Status' (Active), 'Lifecycle Phase' (Production), 'User Item Type' (Purchased Item), and 'Pack Type'. A red box highlights the 'Unit of Measure' section, which includes 'Primary Unit of Measure', 'Tracking Unit of Measure' (Primary), 'Pricing' (Primary), 'Conversions' (Both), 'Secondary Unit of Measure', 'Defaulting Control', '\* Positive Deviation Factor', and '\* Negative Deviation Factor'.

16. Click the **Specifications** tab.

**Edit Item Class: DAC Item Class**

\* Item Class: DAC Item Class  
 Internal Name: DAC\_IC  
 \* Description: DAC Item Class  
 Enabled

Parent Item Class: Root Item Class  
 Parent Item Class Description: Root Item Class

Item creation allowed  
 Default Item Class  
 — Public

Basic | Item Management | Security | Transactional Attributes | Pages and Attribute Groups | Lifecycle Phases | **Templates and Formats**

Item Templates | Import Formats

Actions | View | Format | + | ✖ | 📄 | 📄 Freeze | 📄 Detach | 🔄 Wrap | Copy

Name	Description	Organization	Item Class	Default
DAC Item Template	DAC Item Templ...	ITEMMASTERO...	DAC Item Class	✓
TEST ITEM TEMPLATE	Test Item Templ...	ITEMMASTERO...	DAC Item Class	—
Root Item Template		ITEMMASTERO...	Root Item Class	—

Rows Selected 1

**Edit Item Template: TEST ITEM TEMPLATE**

Item Status: Active | Lifecycle Phase: Production | User Item Type: Purchased Item | Pack Type: [ ]

Overview | **Specifications**

**Unit of Measure**

Primary Unit of Measure: [ ]  
 Tracking Unit of Measure: Primary  
 Pricing: Primary  
 Conversions: Both  
 Secondary Unit of Measure: [ ]

Defaulting Control: [ ]  
 \* Positive Deviation Factor: [ ]  
 \* Negative Deviation Factor: [ ]

17. Update attributes as per business requirement in Specifications tabs like **Inventory, Planning, Purchasing and Additional Attributes.**


18. Click the **Save and Close** button.

This concludes the steps to **Create Item Template in Inventory Module Setup** in NCFS.





To **Create Item Subinventory Relationship to Count Zero Qty** in **Inventory Module Setup** in NCFIS, please follow the steps below:


1. On the **Home** page, click the **My Enterprise** tab.




2. Click the **Setup and Maintenance** app.




- On the **Setup** page, click the drop-down [  ] icon and select the **Manufacturing and Supply Chain Materials Management** from the drop-down choice list.




- Under the *Functional Area* section, click **Inventory Management** to open the **Inventory Management** page on the right-hand side.





5. Click the **Manage Subinventories and Locators** task link.



6. Enter **Organization**. In this example, we choose **4210451**. Click the **OK** button.



7. On **Manage Subinventories** page, Click the **Expand** [  ] icon for Search criteria.



8. Enter **Subinventory**. In this example, we choose **01A1**. Click the **Search** button.

Manage Subinventories ? Inventory Organization 4210451 [Change Organization](#) [Done](#)

**Search**

Subinventory Equals  Subinventory Type Equals

Description Equals  Material Status

Locator Control Equals

[Search](#) [Reset](#) [Add Fields](#) [Reorder](#)

9. Click the **Manage Item Subinventories** button.

Manage Subinventories ? Inventory Organization 4210451 [Change Organization](#) [Done](#)

**Search**

Search Results

Actions     [Manage Item Subinventories](#) [Manage Locators](#)

Subinventory	Description	Active	Material Status	Locator Control	Subinventory Type	Additional Information
01A1	BULK STORAGE AREA 01A1	✔	Active	None	Storage	<input type="text" value="🗨"/>

10. On **Manage Item Subinventories** page, Click the **Add** [  ] icon.

Manage Item Subinventories ? [Done](#)

**Search**

Subinventory Equals  Inventory Planning Method Equals

Item Description Starts with

[Search](#) [Reset](#) [Add Fields](#) [Reorder](#)

Search Results

Actions      [Manage Item Locators](#)

Subinventory	Item	Item Description	Inventory Planning Method	Additional Information

11. Enter **Item** number. In this example, we choose **0014551**. Click the **Save and Close** button.

**Add Item to Subinventory**

\* Subinventory  ▼

\* Item  🔍

Item Description MALE INMATE SAFETY TOE SHOE, 10 1/2 EE

\* Inventory Planning Method  ▼

Minimum Quantity  PAIR

Maximum Quantity  PAIR

Fixed Lot Multiple

Minimum Order Quantity  PAIR

Maximum Order Quantity  PAIR

**PAR Settings**

Replenishment Count Type  ▼

PAR Level

**Lead Times in Days**

Preprocessing

Processing

Postprocessing

**Sourcing**

Type  ▼

Organization  ▼

Subinventory  ▼

PAR Maximum Quantity


PAR Level UOM  ▼

Count Tolerance Percentage


This concludes the steps to **Create Item Subinventory Relationship to Count Zero Qty** in **Inventory Module Setup** in NCFS.


To Create DPI Category, Subject and Grade Code in Inventory Module Setup in NCFS, please follow the steps below:


1. On the **Home** page, click the **My Enterprise** tab.




2. Click the **Setup and Maintenance** app.




- On the **Setup** page, click the drop-down [  ] icon and select the **Product Management** from the drop-down choice list.



- Under the **Functional Area** section, click **Items** to open the **Items** page on the right-hand side.



- Click the **Show** field and select **All Tasks**.



6. Click **Manage Product and Child Value Sets** link.

Setup: Procurement

Functional Areas


- \* Organization Structures Shared
- Workforce Structures Shared
- \* Users and Security Shared
- \* Purchasing Categories
- \* Suppliers Shared
- \* Approval Management
- \* Procurement Foundation
- \* **Items** Shared
- Purchasing Foundation

Search Tasks

Items

View Format Freeze Detach Wrap Show All Tasks

Task	He Sc	Predecessor Tasks	Notes	Action
<b>Manage Product and Child Value Sets</b>		0	0	
Manage Attachment Categories for Product Man...		0	0	
Manage Operational Attributes Groups		0	0	
Manage Default Item Class		0	0	
Manage Item Statuses		0	0	
Manage Item Types		0	0	

7. On *Manage Product and Child Value Sets* Page, click on drop-down list [  ] icon and select **Items** module.

Manage Product and Child Value Sets

Save Save and Close Cancel

Search

\*\* Value Set Code

\*\* Validation Type

\*\* Value Data Type

\*\* Module

\*\* Description

Item Catalogs LBA EgCatalogs

Item Classes LBA EgItemClasses

Item Delete Groups LBA EgDeleteGroups

**Items** LBA EgItems

Manufacturer LBA EgManufacturer

Product Model APPLICATION EGP

Search Results

Value Set Code

Validation Type Value Data Type



- Enter the **Value Set Code** field. In this example, we choose **DPI\_CATEGORY\_CODE**. Click the **Search** button.

Manage Product and Child Value Sets ?

Save Save and Close Cancel

Search

\*\* Value Set Code

\*\* Validation Type

\*\* Value Data Type

\*\* Module

\*\* Description

\*\* At least one is required

Search Reset

- Select **Value Set Code** record and click the **Manage Values** button.

Manage Product and Child Value Sets ?

Save Save and Close Cancel

Search

\*\* Value Set Code

\*\* Validation Type

\*\* Value Data Type

\*\* Module

\*\* Description


\*\* At least one is required


Search Reset

Search Results

Actions View Format + ✎ ✕ 📄 Freeze 📄 Detach 📄 Wrap **Manage Values**


Value Set Code	Protected	Description	Module	Validation Type	Value Data Type
DPI_CATEGORY_CODE	—		Items	Independent	Character

10. On the **Manage Values** page, click the **Add** [  ] icon and enter **Value**. In this example, we entered **6200-BUSINESS, FINANCE, AND MARKETING EDUCATION**.



The screenshot shows the 'Manage Values' interface. At the top right, there are buttons for 'Save', 'Save and Close', and 'Cancel'. Below the header, there are input fields for 'Value' and 'Description'. A search bar is also present. The 'Search Results' section shows a table with columns: 'Value', 'Description', 'Enabled', 'Start Date', 'End Date', and 'Sort Order'. A single row is displayed with the value '6200-BUSINESS, FINANC' and a checked 'Enabled' checkbox. A red box highlights the plus icon in the 'Actions' menu and the '6200-BUSINESS, FINANC' value in the table.

11. Click the **Save and Close** button.



This screenshot is identical to the previous one, but with a red box highlighting the 'Save and Close' button in the top right corner of the interface.

12. Enter the **Value Set Code** field. In this example, we choose **DPI\_GRADE\_CODE**. Click the **Search** button.

Manage Product and Child Value Sets ?

Save Save and Close Cancel

Search

\*\* Value Set Code

\*\* Validation Type

\*\* Value Data Type

\*\* Module

\*\* Description

\*\* At least one is required

Search Reset

13. Select **Value Set Code** record and click the **Manage Values** button.

Manage Product and Child Value Sets ?

Save Save and Close Cancel

Search

\*\* Value Set Code

\*\* Validation Type

\*\* Value Data Type

\*\* Module

\*\* Description


\*\* At least one is required


Search Reset

Search Results

Actions View Format + ✎ ✕ 📄 📄 Freeze 📄 Detach 📄 Wrap **Manage Values**

Value Set Code	Protected	Description	Module	Validation Type	Value Data Type
<input type="text" value="DPI_GRADE_CODE"/>	—		Items	Independent	Character

14. Click the **Add** [  ] icon and enter **Value**. In this example, we entered **0011-KINDERGARTEN VISUAL ARTS**.



Manage Values ? Save Save and Close Cancel

Value Set Code DPI\_GRADE\_CODE

Description



Search

Value

Description


Search Reset

Search Results

Actions View Format **+** X   Freeze Detach Wrap

* Value	Description	Enabled	Start Date	End Date	Sort Order
0011-KINDERGARTEN VI	<input type="text"/>	<input checked="" type="checkbox"/>	m/d/yy	m/d/yy	<input type="text"/>

15. Click the **Save and Close** button.



Manage Values ? Save **Save and Close** Cancel

Value Set Code DPI\_GRADE\_CODE

Description



Search

Value

Description

Search Reset

Search Results

Actions View Format + X   Freeze Detach Wrap

* Value	Description	Enabled	Start Date	End Date	Sort Order
0011-KINDERGARTEN VI	<input type="text"/>	<input checked="" type="checkbox"/>	m/d/yy	m/d/yy	<input type="text"/>

16. Enter the **Value Set Code** field. In this example, we choose **DPI\_SUBJECT\_CODE**. Click the **Search** button.

Manage Product and Child Value Sets ? Save Save and Close Cancel

Search

\*\* Value Set Code

\*\* Validation Type

\*\* Value Data Type

\*\* Module

\*\* Description

\*\* At least one is required

Search Reset

17. Select Value set code record and click the **Manage Values** button.

Manage Product and Child Value Sets ? Save Save and Close Cancel

Search

\*\* Value Set Code

\*\* Validation Type

\*\* Value Data Type

\*\* Module

\*\* Description


\*\* At least one is required


Search Reset

Search Results

Actions View Format + ✎ ✕ 📄 Freeze 📄 Detach ↩ Wrap **Manage Values**

Value Set Code	Protected	Description	Module	Validation Type	Value Data Type
<input type="text" value="DPI_SUBJECT_CODE"/>	☑	—	Items	Independent	Character

18. Click the **Add** [  ] icon and enter **Value**. In this example, we choose **0110-HANDWRITING, 1-5**.



Manage Values ? Save Save and Close Cancel

Value Set Code DPI\_SUBJECT\_CODE

Description







Search

Value

Description

Search Reset


Search Results

Actions ▼ View ▼ Format ▼     Freeze  Detach  Wrap

* Value	Description	Enabled	Start Date	End Date	Sort Order
0110-HANDWRITING, 1-5	<input type="text"/>	<input checked="" type="checkbox"/>	m/d/yy	m/d/yy	<input type="text"/>

Columns Hidden 1

19. Click the **Save and Close** button.



Manage Values ? Save Save and Close Cancel

Value Set Code DPI\_SUBJECT\_CODE

Description







Search

Value

Description

Search Reset

Search Results

Actions ▼ View ▼ Format ▼     Freeze  Detach  Wrap

* Value	Description	Enabled	Start Date	End Date	Sort Order
0110-HANDWRITING, 1-5	<input type="text"/>	<input checked="" type="checkbox"/>	m/d/yy	m/d/yy	<input type="text"/>

Columns Hidden 1

This concludes the steps to **Create DPI Category, Subject and Grade Code in Inventory Module Setup** in NCFS.

## Wrap-Up

Perform the steps shown above to set up Inventory Module in NCFS.

## Additional Resources

NA